

### **Features and Benefits**

- Adjustable Windage/Elevation Easily adjustable without special tools. 1 MOA per click.
- B Rugged, Patented Housing Shape Military-grade, aluminum alloy-forged housing shape diverts force of impact away from the lens, greatly increasing its durability.
- True-Color, Multi-Coated Lens Wide-band light transmission for minimal change in target area color.
- True Versatility Multiple primary applications including rifle, pistol, shotgun and carbine, or use as a secondary sight with a magnified optic.

**E** Dependable Design


Electronic models offer ruggedized battery contacts and electronics that ensure performance and survivability in harsh environments.

Shock-Resistant

Proven to withstand recoil from a .22LR to a .50BMG and everything in between. Easily passes U.S. Military drop test requirements.

Available in Many Models & **Red Dot Sizes/Colors** 

Choose from Adjustable LED, Dual-Illuminated (battery-free), LED and HRS models, with multiple dot sizes and colors available.













LED	Dual-Illuminated	
1x	1x	
.87 x .63 in. 22 x 16mm	.87 x .63 in. 22 x 16mm	
Tempered Glass	Tempered Glass	
1 Click = 1 MOA	1 Click = 1 MOA	
150 MOA Total Travel	150 MOA Total Travel	
1.8 x 1.1 x 1.0 in. 46 x 28 x 25mm	1.8 x 1.2 x 1.0 in. 46 x 30 x 25mm	
1.2 oz. (w/ battery) 34g	1.2 oz. 34g	
LED Powered by a CR2032 Lithium Battery	Fiber Optics & Tritium	
2 Years of Typical Use*, 5 Years in Dark Storage	N/A	
Automatic	N/A	
Picatinny Rail, Weaver Rail, ACOG® Add-On, Riflescope Add- On, Pistol, Double-Barreled Rifle	Picatinny Rail, Weaver Rail, ACOG® Add-On, Riflescope Add- On, Pistol, Double-Barreled Rifle	

80 \\ Trijicon RMR° \\ 81

<sup>\*</sup>When used at 70°F (21°C). Extreme temperatures (high or low) will affect lithium battery performance.

# **RMR®** Type 2 LED







#### 3.25 MOA Dot

Black:	RM01-C-700600
Sniper Gray:	■ RM01-C-700622
OD Green:	■ RM01-C-700623
FDE:	■ RM01-C-700624

#### 6.5 MOA Dot

Black:	RM02-C-700607
Sniper Gray:	■ RM02-C-700643
OD Green:	■ RM02-C-700644
FDE:	■ RM02-C-700645

# **RMR**<sup>®</sup> Type 2 Adjustable LED









#### 1.0 MOA Dot

Black:	■ RM09-C-700742
Sniper Gray:	■ RM09-C-700743
OD Green:	■ RM09-C-700744
FDE:	■ RM09-C-700745

#### 3.25 MOA Dot

Black: Sniper Gray:	■ RM06-C-700672 ■ RM06-C-700694	
OD Green:	RM06-C-700695	
FDE:	RM06-C-700696	

#### 6.5 MOA Dot

Black:	RM07-C-700679
Sniper Gray:	■ RM07-C-700715
OD Green:	■ RM07-C-700716
FDE:	■ RM07-C-700717

### **RMR®** Dual-Illuminated









12.9 MOA Triangle

13.0 MOA Dot

RM04 RM04-C-700163 RM04-C-700164 RM04-C-700165

9.0 MOA Dot

7.0 MOA Dot

Sniper Gray: OD Green:

Black:

WON DOL			
Black:	RM05	RM05G	
Sniper Gray:	RM05-C-700187	■ RM05-C-700208	
OD Green:	RM05-C-700188	■ RM05-C-700209	
FDE:	RM05-C-700189	■ RM05-C-700210	
Sniper Gray: OD Green:	RM05-C-700187	■ RM05-C-700208 ■ RM05-C-700209	

#### 13.0 MOA Dot

Black:	RM03
Sniper Gray:	RM03-C-700142
OD Green:	RM03-C-700143
FDE:	RM03-C-700144

#### 12.9 MOA Triangle

Black:	RM08A	RM08G
Sniper Gray:	RM08-C-700256	■ RM08-C-700280
OD Green:	RM08-C-700257	RM08-C-700281
FDE:	RM08-C-700258	RM08-C-700282

## RMR<sup>®</sup> HRS





#### Hard-Anodized Coyote Brown HRS

FDE:	■ RM06-C-700780
	■ RM06-C-700780