

GREY GHOST PRECISION

SPG43 MANUAL




TABLE OF CONTENTS

FEATURES AND BENEFITS	2
ASSEMBLY AND INSTALLATION	3-4
IMPORTANT SAFETY INFORMATION	5
LIMITED WARRANTY	6-10

FEATURES AND BENEFITS

CONGRATULATIONS ON PURCHASING A SPG43 SLIDE

The Grey Ghost Precision SPG43 is the first truly aftermarket slide to hit the market for the G43. We started with a billet of American made 17-4PH stainless steel and machined the slide to our own specifications. Critical tolerances are held within 0.003" for improved accuracy and performance without compromising the reliability and function that GLOCK® pistols are known for. The slides are then finished with Diamond-Like Coating (DLC) for outstanding corrosion resistance and low-friction properties. The SPG43 comes in two distinct patterns:



<< ASSEMBLY AND INSTALLATION >>

ASSEMBLY AND INSTALLATION INSTRUCTIONS

You will need to field strip your Glock® in order to install this slide. For instructions on disassembly, see your Glock® Owners Manual.

BEFORE FIELD STRIPPING YOUR GLOCK®, ENSURE THE MAGAZINE IS REMOVED AND THE CHAMBER IS UNLOADED. VISUALLY VERIFY THE CHAMBER IS EMPTY!

To assemble a stripped slide, you will need the following parts (not included)

- · Firing Pin & Spring
- Spring Cups
- Safety Plunger & Spring
- Complete Extractor with LCI
- Extractor Depressor Plunger Assembly
- Slide Cover Plate
- Recoil Spring and Guide Rod Assembly
- Front and Rear Sights
- Barrel

NOTE: A CHANNEL LINER IS NOT NEEDED IN THE GLOCK® G43 SLIDE

<< ASSEMBLY AND INSTALLATION >>

- With spring inserted into safety plunger, install into hole in underside of SPG43 slide ensuring notch is facing away from extractor. Depress plunger making sure it moves up and down unimpeded in it's pocket.
- While depressing plunger, insert extractor into the slot with claw facing chamber. Release plunger and verify extractor is now secured into place.
- Install Firing Pin Assembly into large channel in back of slide, with firing pin facing out toward chamber.
- 4. Install Extractor Depressor Plunger Assembly into smaller channel in rear of slide.
- 5. Install backplate by depressing the Firing Pin Assembly's spacer sleeve with a tool while sliding backplate into rear groove, until backplate overcomes the sleeve.
- Depress Extractor Depressor Plunger Assembly with tool while pushing backplate into position. It will make a positive "snap" sound when installation is complete.
- 7. Install barrel and recoil spring assembly into the SPG43 slide. Barrel should drop in freely. Reassemble SPG43 slide onto your pistol frame, and verify operation by cycling slide and dry fire testing WITH AN UNLOADED CHAMBER.

<< IMPORTANT SAFETY INFORMATION >>

CAREFULLY READ THIS INSTRUCTION MANUAL PRIOR TO INSTALLING THIS SLIDE AND FIRING YOUR PISTOL.

If unfamiliar with firearms, seek further advice through safe handling courses run by your local gun clubs, NRA approved instructor, or similar qualified organizations.

CARELESS HANDLING COULD RESULT IN PROPERTY DAMAGE, INJURY OR DEATH. ALWAYS TREAT ANY FIREARM AS IF IT IS LOADED.

Use only clean, dry, high quality commercially manufactured ammunition in good condition which is appropriate to the caliber of your chosen firearm. We do not recommend the use of remanufactured or hand loaded ammunition because it may damage your firearm. Use of improper ammunition will invalidate your warranty.

ALWAYS KEEP THE GUN POINTED IN A SAFE DIRECTION
NEVER LOAD THE GUN UNTIL READY TO USE
KEEP YOUR FINGER OFF THE TRIGGER UNTIL READY TO SHOOT.

<< LIMITED WARRANTY >>

FOR OWNERS WITHIN THE UNITED STATES
GREY GHOST PRECISION, LLC - FORM OF LIMITED WARRANTY

Standard Conditions of Sale

All Grey Ghost Precision Products, hereafter referred to as products sold by Grey Ghost Precision (hereafter referred to as the "Company") are subject to these terms and conditions of sale. The Company warrants that its Grey Ghost Precision Products, if properly stored, transported and used, will be free from defects in materials and workmanship during the warranty period.

Warranty Period

Labor - One (1) year. Parts - For the lifetime of the original purchaser.

Warranty Service

To obtain warranty service, the purchaser must deliver the Grey Ghost Precision Product to the point of purchase and submit a written service request. A written service request must include: (1) proof of purchase; (2) a copy of these terms and conditions of sale; and (3) an explanation of the problem.

Extent of Limited Warranty

If the Grey Ghost Precision Product which is the subject of this Limited Warranty fails during the warranty period for reasons covered by this Limited Warranty, and the purchaser submits the written service request required under these terms and conditions of sale, at its option, the Company will:

REPAIR THE GREY GHOST PRECISION PRODUCT OR REPLACE THE GREY GHOST PRECISION PRODUCT WITH A GREY GHOST PRECISION PRODUCT THAT IS FUNCTIONALLY AT LEAST EQUAL TO THAT OF THE GREY GHOST PRECISION PRODUCT BEING REPLACED.

This Limited Warranty does not cover damages due to external causes including, but not limited to, accidents, misuse, neglect, alteration, repair, improper maintenance, or normal wear.

Any usage or care not in accordance with this manual voids this warranty, and any damage caused by such usage or care is not covered under this warranty. This warranty is limited to the original purchaser and is not transferable.

Warranty Limitations and Exclusions

Exhibit "E" - Grey Ghost Precision Limited Warranty for Owners Within the United States

THESE WARRANTIES REPLACE ALL OTHER WARRANTIES, EXPRESS OR IMPLIED INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE THE COMPANY MAKES NO EXPRESS WARRANTIES BEYOND THOSE STATED HEREIN. THE COMPANY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTARILITY AND FITNESS FOR A PARTICULAR PURPOSE SOME LAWS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES SO THIS LIMITATION MAY NOT APPLY TO YOU. IF THESE LAWS APPLY, THEN ALL EXPRESS AND IMPLIED WARRANTIES ARE LIMITED IN DURATION TO THE LIMITED WARRANTY PERIOD. NO WARRANTIES APPLY AFTER THAT PERIOD. SOME LAWS DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THIS LIMITATION MAY NOT APPLY TO YOU.

The use of any sample or model during the negotiations leading to the purchase of this Grey Ghost Precision Product serves merely to indicate a type of product that will be tendered to the purchaser. These samples or models create no warranty that the product will conform to the samples or models.

Limitations of Liability

THE COMPANY'S RESPONSIBILITY UNDER THIS, OR ANY OTHER WARRANTY, IMPLIED OR EXPRESSED, IS LIMITED TO REPAIR OR REPLACEMENT, AS SET FORTH ABOVE THIS REMEDY IS THE SOLE AND EXCLUSIVE REMEDY FOR ANY BREACH OF WARRANTY. THE COMPANY IS NOT RESPONSIBLE FOR CLAIMS FOR INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESUITING FROM ANY BREACH OF WARRANTY OR LINDER ANY OTHER LEGAL THEORY, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, DOWN TIME, AND ANY DAMAGE TO OR REPLACEMENT OF EQUIPMENT AND PROPERTY SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY FROM JURISDICTION TO JURISDICTION.

Assumptions of Risk

Purchaser assumes all risk and liability for loss. Company shall not be responsible for injuries to person or property arising out of the use or misuse of the Grey Ghost Precision Products.


To obtain a replacement manual, send an email to: SERVICE@GREYGHOSTPRECISION.COM



"GLOCK" is a federally registered trademark of Glock, Inc. and is one of many trademarks owned by Glock, Inc. or Glock Ges.m.b.H.

Grey Ghost Precision is not affiliated with nor endorsed by Glock, Inc. or Glock Ges.m.b.H.





GREY GHOST PRECISION LLC 2916 107TH STREET SOUTH, LAKEWOOD WA 98499 CUSTOMER SERVICE: 1-877-241-2811 SERVICE@GREYGHOSTPRECISION.COM

GREYGHOSTPRECISION.COM