


# 2022 FIREARM SIGHT CATALOG



**AMERIGLO**  
THE POWER TO PROTECT™



**BUILT TO PROTECT HARDWORKING,  
LAW-ABIDING MEN AND WOMEN  
FROM HARM.**

## TABLE OF CONTENTS

---

Haven™ Red Dot Sight .....	2
Trooper .....	4
Classic Tritium .....	6
Spartan .....	8
CAP .....	10
Defoor EDC .....	12
Protector .....	14
i-DOT .....	16
Ghost Ring .....	18
Specialty Sets .....	20
Optic Compatible Sets .....	22
Tritium Fronts .....	24
Tritium Rears .....	30
Specialty Fronts .....	32
Specialty Rears .....	36
Warranty Information .....	40



# HAVEN™ HANDGUN RED DOT SIGHT

Designed from the ground up to fit the personal defense needs of American gun owners, the Haven is available with a 3.5 or 5.0 MOA dot, or as a Carry-Ready™ Combo which includes optic-compatible iron sights for the GLOCK MOS system. Using the proven Trijicon RMR® footprint, the Haven red dot is ready for immediate installation on today's most popular optics-ready pistols.

## RELIABLE CONSTRUCTION

Optimized glass coatings, waterproof to 1m and aircraft-grade housing to withstand bumps and drops

## INTUITIVE CONTROLS

11 easy-to-use brightness settings, including 2 night vision settings, with proprietary Carry-Loc™ lock-in mode

## RAPID TARGET ACQUISITION

Large window & high visibility vertical post on the rear deck result in faster dot acquisition

## SIDE-LOADING BATTERY

No need to re-zero after a battery change



## HAVEN™ HANDGUN RED DOT SIGHT

### CARRY-READY™ COMBO

Options include a set of optic-compatible iron sights for Glock® pistols (GL-524) to provide the optimum sight picture when paired with the Haven™ optic as a convenient, out-of-the-box solution for the Glock MOS.

### POWER PROTECT™

Smart electronics offer a 12-hour runtime followed by a 12-hour, motion-activated auto-on, providing up to two years of battery life at a mid-setting.

### CARRY-LOC™

Allows users to set their optic to the desired illumination brightness and then disable the illumination control buttons, eliminating the risk of inadvertent button presses.

### Optics-Ready Handgun Compatibility\*

GLOCK® MOS™ (excludes Slimline models)	Walther Arms Q4/A5/PDP
Springfield Armory® OSP™ (full-size models)	CZ-P10 F/C
Smith & Wesson® C.O.R.E.	Taurus® G3/G3C T.O.R.O
FN 509® MRD & Tactical Series/FNX	Beretta APX RDO

\*including, but not limited to

### Specifications

Lens Size	1.1 x 0.75 in. 28x19mm
Optic Size (L x W x H)	1.78 x 1.24 x 1.11 in. 45.2 x 31.4 x 28.3mm
Adjustment Range	+/- 45 MOA 1 click = 1.0 MOA
Dot Size	HVN01: 3.5 MOA HVN02: 5.0 MOA HVN03: 3.5 MOA Carry-Ready™ HVN04: 5.0 MOA Carry-Ready™
Battery	CR2032
Battery Life	Setting 4: 1 year (constant on)
Brightness Settings	11 brightness settings, 2 NV
Housing Material	Aluminum
Waterproof	1m (30 minutes)
Temperature Range	-4°F to 122°F

# TROOPER SERIES

Modeled after the sight selected by the Federal Government for duty use, the AMERIGLO® Trooper series is a three-dot design. It offers an instant sight picture and proven accuracy you can trust to defend night and day.



## GLOCK SETS

Item	Gen	Model	Front Outline	Rear Outline
GL-816	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Orange	Black
GL-817	1-4	20,21,29,30,31,32,36,40,41	Orange	Black
GL-818	5	All	Orange	Black
GL-819	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	LumiGreen	Black
GL-820	1-4	20,21,29,30,31,32,36,40,41	LumiGreen	Black
GL-821	5	All	LumiGreen	Black
GL-822		42,43,43X,48	LumiGreen	Black
GL-823		42,43,43X,48	Orange	Black

## SPRINGFIELD SETS

Item	Model	Front Outline	Rear Outline
SA-816	Hellcat OSP	Orange	Black
SA-819	Hellcat OSP	LumiGreen	Black

## WALTHER SETS

Item	Model	Front Outline	Rear Outline
WA-816	Walther PDP	Orange	Black
WA-819	Walther PDP	LumiGreen	Black





# CLASSIC TRITIUM SERIES

Easily visible under all lighting conditions, the AMERIGLO® Classic Tritium Series night sights come with a green tritium lamp/white outline for the front sight and two tritium lamps/white outlines for the rear sight. Tall sets available for suppressor or optic compatibility.

*When it's critical,  
accuracy is everything.*



## GLOCK SETS

Item	Gen	Model	Front Outline	Rear Outline	Tritium Color
GL-113	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	White	White	Green
GL-115	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	White	White	Yellow
GL-5113	5	All	White	White	Green
GL-5115	5	All	White	White	Green
GL-119	1-4	20,21,29,30,31,32,36,40,41	White	White	Yellow
GL-121	1-4	20,21,29,30,31,32,36,40,41	White	White	Green
GL-430		42,43,43X,48	White	White	Green
GL-431		42,43,43X,48	White	White	Yellow

## SPRINGFIELD SETS

Item	Model	Front Outline	Rear Outline
XD-191	All XD	White	White
XD-181	All XD	White	White
SA-113	Hellcat Standard	White	White

GL-113R



## SIG SETS

Item	Model	Front Outline	Rear Outline
SG-161	Most using #8 front #8 rear	White	White
SG-165	Most using #6 front #8 rear	White	White
SG-181	Most using #6 front #8 rear	White	White

## SMITH & WESSON SETS

Item	Model	Front Outline	Rear Outline
SW-145	M&P Shield (excludes EZ)	White	White
SW-801	M&P (excludes .22, .380, Shield, EZ, Pro)	White	White

## WALTHER SETS

Item	Model	Front Outline	Rear Outline
WA-119	Walther PDP	White	White

# SPARTAN SERIES

The AMERIGLO® Spartan series is built upon the classic, 3-dot design for highly visible sight pictures in any lighting condition. The front sight comes equipped with a green tritium lamp and an outline choice of white, ProGlo orange or LumiGreen for optimum accuracy. The rear sight features two tritium lamps with white or black outlines, along with a square notch for when precision is key.

## GLOCK SETS

Item	Gen	Model	Front Outline	Rear Outline
GL-446	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Orange	Black
GL-5446	5	All	Orange	Black
GL-448	1-4	20,21,29,30,31,32,36,40,41	Orange	Black
GL-450		42,43,43X,48	Orange	Black
GL-546	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	LumiGreen	Black
GL-548	1-4	20,21,29,30,31,32,36,40,41	LumiGreen	Black
GL-550		42,43,43X,48	LumiGreen	Black
GL-227	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	White	Black
GL-233	1-4	20,21,29,30,31,32,36,40,41	White	White
GL-241	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Orange	White
GL-243	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	LumiGreen	White
GL-245	1-4	20,21,29,30,31,32,36,40,41	Orange	White
GL-247	1-4	20,21,29,30,31,32,36,40,41	LumiGreen	White
GL-146	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	White	White
GL-741		42,43,43X,48	Orange	White
GL-743		42,43,43X,48	LumiGreen	White



## SPRINGFIELD SETS

Item	Model	Front Outline	Rear Outline
SA-446	Hellcat Standard	Orange	Black
SA-546	Hellcat Standard	LumiGreen	Black
XD-446	All XD	Orange	Black
XD-546	All XD	LumiGreen	Black
XD-741	All XD	Orange	White
XD-743	All XD	LumiGreen	White

## SIG SETS

Item	Model	Front Outline	Rear Outline
SG-446	Most using #8 front #8 rear	Orange	Black
SG-448	Most using #6 front #8 rear	Orange	Black
SG-546	Most using #8 front #8 rear	LumiGreen	Black
SG-547	Most using #6 front #8 rear	LumiGreen	Black
SG-741	Most using #8 front #8 rear	Orange	White
SG-743	Most using #8 front #8 rear	LumiGreen	White
SG-745	Most using #6 front #8 rear	Orange	White
SG-747	Most using #6 front #8 rear	LumiGreen	White

## SMITH & WESSON SETS

Item	Model	Front Outline	Rear Outline
SW-247	M&P (excludes .22,.380, Shield, EZ, Pro)	Orange	White
SW-249	M&P (excludes .22,.380, Shield, EZ, Pro)	LumiGreen	White
SW-446	M&P (excludes .22,.380, Shield, EZ, Pro)	Orange	Black
SW-456	M&P Shield (excludes EZ)	Orange	Black
SW-546	M&P (excludes .22,.380, Shield, EZ, Pro)	LumiGreen	Black
SW-556	M&P Shield (excludes EZ)	LumiGreen	Black
SW-745	M&P Shield (excludes EZ)	Orange	White
SW-747	M&P Shield (excludes EZ)	LumiGreen	White

# CAP SERIES

The AMERIGLO® CAP sights (Combative Action Pistol) are high-visibility night sights created for personal carry situations, enabling shooters to acquire their front sight even in times of high stress. Fast and highly visible, the CAP sights are a “Cover Point of Impact” sight allowing the shooter to cover the target they want to hit. T-Cap front sights are also available, offering a thin front post.



## GLOCK SETS

Item	Gen	Model	Front Outline	Rear Paint Bar	Style
GL-614	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	LumiGreen	LumiGreen	CAP
GL-5614	5	All	LumiGreen	LumiGreen	CAP
GL-615	1-4	20,21,29,30,31,32,36,40,41	LumiGreen	LumiGreen	CAP
GL-616	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Orange	Orange	CAP
GL-5616	5	All	Orange	Orange	CAP
GL-617	1-4	20,21,29,30,31,32,36,40,41	Orange	Orange	CAP
GL-605		42,43,43X,48	LumiGreen	LumiGreen	T-CAP
GL-607		42,43,43X,48	Orange	Orange	T-CAP
GL-624	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	LumiGreen	LumiGreen	T-CAP
GL-625	1-4	20,21,29,30,31,32,36,40,41	LumiGreen	LumiGreen	T-CAP
GL-626	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Orange	Orange	T-CAP
GL-627	1-4	20,21,29,30,31,32,36,40,41	Orange	Orange	T-CAP

## SPRINGFIELD SETS

Item	Model	Front Outline	Rear Paint Bar
XD-614	All XD models	LumiGreen	LumiGreen
XD-618	All XD models	Orange	Orange



## SIG SETS

Item	Model	Front Outline	Rear Paint Bar
SG-614	Most using #8 front #8 rear	LumiGreen	LumiGreen
SG-616	Most using #8 front #8 rear	Orange	Orange

## SMITH & WESSON SETS

Item	Model	Front Outline	Rear Paint Bar
SW-614	M&P (excludes .22,,380, Shield, EZ, Pro)	LumiGreen	LumiGreen
SW-616	M&P (excludes .22,,380, Shield, EZ, Pro)	Orange	Orange
SW-618	M&P Shield (excludes EZ)	LumiGreen	LumiGreen
SW-620	M&P Shield (excludes EZ)	Orange	Orange



# DEFOOR EDC SERIES

Defoor EDC iron sights from AMERIGLO® are designed for every day concealed carry pistols, offering rugged, simple, effective technology that works no matter what. They are designed for speed and accuracy with a serrated front sight blade, perfect-width rear notch and 90-degree edges.

Developed in conjunction with decorated combat veteran and performance shooting trainer, Kyle Defoor.

## GLOCK SETS

Item	Gen	Model	Front Style	Front Width
GT-504	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Serrated Metal	.115"
GT-5504	5	All	Serrated Metal	.115"
GT-505	1-4	20,21,29,30,31,32,36,40,41	Serrated Metal	.115"
GT-532		42,43,43X,48	Serrated Metal	.115"
GT-514	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Tritium	.118"
GT-5514	5	All	Tritium	.118"
GT-516	1-4	20,21,29,30,31,32,36,40,41	Tritium	.118"
GT-517		42,43,43X,48	Tritium	.118"

## SPRINGFIELD SETS

Item	Model
XD-504	All XD
SA-504	Hellcat OSP
SG-504	Hellcat Standard



## SIG SETS

Item	Model
SG-504	Most using #8 front #8 rear



## SMITH & WESSON SETS

Item	Model
SW-103	M&P (excludes .22, .380, Shield, EZ, Pro)
SW-149	M&P Shield (excludes EZ)





# PROTECTOR SERIES

AMERIGLO® Protector night sights are designed for quicker front sight acquisition and concentration on the front sight blade. The black, serrated rear sight reduces glare and offers assistance with one-handed slide manipulations, while the front sight offers a tritium ProGlo LumiGreen or Orange aiming point. Ideal for any concealed carry or personal defense weapon.

## GLOCK SETS

Item	Gen	Model	Fits MOS	Front Outline	Rear Notch
GL-351		42,43,43X,48	Yes	Orange	U-Notch
GL-352		42,43,43X,48	Yes	LumiGreen	U-Notch
GL-353	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Yes	Orange	U-Notch
GL-354	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Yes	LumiGreen	U-Notch
GL-355	1-4	20,21,29,30,31,32,36,40,41	Yes	Orange	U-Notch
GL-356	1-4	20,21,29,30,31,32,36,40,41	Yes	LumiGreen	U-Notch
GL-433	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	No	Orange	Square
GL-434	1-4	20,21,29,30,31,32,36,40,41	No	Orange	Square
GL-436		42,43,43X,48	No	Orange	Square
GL-5353	5	All	Yes	Orange	U-Notch
GL-5354	5	All	Yes	LumiGreen	U-Notch
GL-5433	5	All	No	Orange	Square
GL-5701	5	All	No	LumiGreen	Square
GL-701	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	No	LumiGreen	Square
GL-703	1-4	20,21,29,30,31,32,36,40,41	No	LumiGreen	Square
GL-705		42,43,43X,48	No	LumiGreen	Square



## SPRINGFIELD SETS

Item	Model	Front Outline	Rear Notch
SA-433	Hellcat Standard	Orange	Square
SA-434	Hellcat OSP	Orange	Square
SA-533	Hellcat Standard	LumiGreen	Square
SA-534	Hellcat OSP	LumiGreen	Square
XD-433	All XD models	Orange	Square
XD-533	All XD models	LumiGreen	Square

## SIG SETS

Item	Model	Front Outline	Rear Notch
SG-433	Most using #8 front #8 rear	Orange	Square
SG-434	Most using #6 front #8 rear	Orange	Square
SG-533	Most using #8 front #8 rear	LumiGreen	Square
SG-534	Most using #6 front #8 rear	LumiGreen	Square

## SMITH & WESSON SETS

Item	Model	Front Outline	Rear Notch
SW-433B	M&P (excludes .22,.380, Shield, EZ, Pro)	Orange	Square
SW-443	M&P Shield (excludes EZ)	Orange	Square
SW-533	M&P (excludes .22,.380, Shield, EZ, Pro)	LumiGreen	Square
SW-543	M&P Shield (excludes EZ)	LumiGreen	Square

## WALTHER SETS

Item	Model	Front Outline	Rear Notch
WA-433	Walther PDP	Orange	Square
WA-533	Walther PDP	LumiGreen	Square

# i-DOT SERIES

Utilizing a dot-over-dot configuration, AMERIGLO® i-DOT night sights are an excellent design for all shooters. The i-DOT sights provide a quick and easy vertical sight alignment.

If you don't have 100% confidence in your sights, you have 0% confidence in your sights.



## GLOCK SETS

Item	Gen	Model	Front Outline
GL-101	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	White
GL-102	1-4	20,21,29,30,31,32,36,40,41	White
GL-5101	5	All	White
GL-105		42,43,43X,48 (Fits MOS)	White
GL-201	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Orange
GL-203	1-4	20,21,29,30,31,32,36,40,41	Orange
GL-205		42,43,43X,48 (Fits MOS)	Orange
GL-5201	5	All	Orange
GL-301	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	LumiGreen
GL-303	1-4	20,21,29,30,31,32,36,40,41	LumiGreen
GL-305		42,43,43X,48 (Fits MOS)	LumiGreen
GL-5301	5	All	LumiGreen

## SPRINGFIELD SETS

Item	Model	Front Outline
XD-101	All XD models	White
XD-201	All XD models	Orange
XD-301	All XD models	LumiGreen



## SIG SETS

Item	Model	Front Outline
SG-101	Most using #8 front #8 rear	White
SG-201	Most using #8 front #8 rear	Orange
SG-301	Most using #8 front #8 rear	LumiGreen



## SMITH & WESSON SETS

Item	Model	Front Outline
SW-101	M&P (excludes .22,.380, Shield, EZ, Pro)	White
SW-201	M&P (excludes .22,.380, Shield, EZ, Pro)	Orange
SW-301	M&P (excludes .22,.380, Shield, EZ, Pro)	LumiGreen
SW-141	M&P Shield (excludes EZ)	White
SW-245	M&P Shield (excludes EZ)	Orange
SW-345	M&P Shield (excludes EZ)	LumiGreen

## WALTHER SETS

Item	Model	Front Outline
WA-101	Walther PDP	White
WA-201	Walther PDP	Orange
WA-301	Walther PDP	LumiGreen



# GHOST RING SERIES

For shooters seeking an alternative to the traditional post-and-notch sight design, there's AMERIGLO® Ghost Ring night sights. This unique design utilizes an aperture-style rear sight with two tritium mini-dots and a bright tritium front sight, which leads the eye to automatically center itself in the rear ring while focusing on the front sight. The result: immediate front sight acquisition.



## GLOCK SETS

Item	Gen	Model	Front Outline
GL-125	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	White
GL-126	1-4	20,21,29,30,31,32,36,40,41	White
GL-5125	5	All	White
GL-225	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Orange
GL-226	1-4	20,21,29,30,31,32,36,40,41	Orange
GL-5225	5	All	Orange
GL-325	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	LumiGreen
GL-326	1-4	20,21,29,30,31,32,36,40,41	LumiGreen
GL-5325	5	All	LumiGreen



GL-125

GL-225

GL-325

Ghost Ring aperture-style rear sight that leads shooter's eye to front post

Bright green tritium lamp and multiple front outline options to fit user preference

Two green tritium mini-dots placed outside of Ghost Ring



# SPECIALTY SETS

## GLOCK

Item	Gen	Model	Style
GFB-103	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Fiber
GFB-104	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Fiber
GFB-105	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Fiber
GFT-113	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Fiber
GFT-114	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Fiber
GFT-115	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	Fiber
GFT-119	1-4	20,21,29,30,31,32,36,40,41	Fiber
GFT-120	1-4	20,21,29,30,31,32,36,40,41	Fiber
GFT-121	1-4	20,21,29,30,31,32,36,40,41	Fiber
GFT-122		42,43,43X,48	Fiber
GFT-123		42,43,43X,48	Fiber
GFT-124	5	All	Fiber
GFT-125	5	All	Fiber
GW-115		42,43,43X,48	White Dot
GW-117	1-4	17,19,22,23,24,26,27,33,34,35,37,38,39	White Dot
GW-118	1-4	20,21,29,30,31,32,36,40,41	White Dot

Front Color	Front Blade Width	Rear	Rear Notch	Fits MOS Slide
Red	.130"	Flat Black	.165"	No
Green	.130"	Flat Black	.165"	No
Amber	.130"	Flat Black	.165"	No
Red	.115"	Flat Black	.150"	Yes
Green	.115"	Flat Black	.150"	Yes
Amber	.115"	Flat Black	.150"	Yes
Red	.115"	Flat Black	.150"	Yes
Green	.115"	Flat Black	.150"	Yes
Amber	.115"	Flat Black	.150"	Yes
Red	.115"	Flat Black	.150"	Yes
Green	.115"	Flat Black	.150"	Yes
White		White Dot	.150"	Yes
White		White Dot	.150"	Yes
White		White Dot	.150"	Yes

## AR-15

Item	Width	Style	Adjustment Range
AR-101	.090"	Tritium Dot	+/- .130"
AR-102	.090"	Tritium Dot	Standard





# OPTIC COMPATIBLE SETS

Provides a precise, elevated co-witness to slide-mounted red dot optics or as reliable backup sights. Items also available individually.



1. Top of Sight Blades
2. Minimum Co-Witness, Deck Height
3. Bottom of Dovetail

Measuring your optic from line 2 to line 3 will find your Deck Height (DH). Each sight height has a maximum Deck Height:

- XL: Up to 0.284" DH
- 5XL: Up to 0.397" DH
- 2XL: Up to 0.319" DH
- 6XL: Up to 0.421" DH
- 3XL: Up to 0.341" DH
- 7XL: Up to 0.444" DH
- 4XL: Up to 0.370" DH
- 8XL: Up to 0.462" DH
- 9XL: Up to 0.490" DH

## GLOCK

Item	Gen	Model	Size
GL-329	1-5	Fits all Glock (except 42,43, 48 variants)	XL
GL-331	1-5	Fits all Glock (except 42,43, 48 variants)	XL
GL-333	1-5	Fits all Glock (except 42,43, 48 variants)	XL
GL-152	1-5	Fits all Glock (except 42,43, 48 variants)	XL
GL-252	1-5	Fits all Glock (except 42,43, 48 variants)	XL
GL-452	1-5	Fits all Glock (except 42,43, 48 variants)	XL
GL-813	1-5	Fits all Glock (except 42,43, 48 variants)	XL
GL-429	1-5	Fits all Glock	XL
GL-411	1-5	Fits all Glock	XL
GL-511	1-5	Fits all Glock	XL
GL-611	1-5	Fits all Glock	XL
GL-809	1-5	Fits all Glock	XL
GL-191	1-5	Fits all Glock	XL
GL-291	1-5	Fits all Glock	XL
GL-391	1-5	Fits all Glock	XL
GL-330	1-5	Fits all Glock (except 42,43, 48 variants)	2XL
GL-470	1-5	Fits all Glock	2XL
GL-481	1-5	Fits all Glock	2XL
GL-681	1-5	Fits all Glock	2XL
GL-810	1-5	Fits all Glock	2XL
GL-814	1-5	Fits all Glock (except 42,43, 48 variants)	2XL
GL-349	1-5	Fits all Glock (except 42,43, 48 variants)	3XL
GL-506	1-5	Fits all Glock	3XL
GL-491	1-5	Fits all Glock	3XL
GL-691	1-5	Fits all Glock	3XL
GL-811	1-5	Fits all Glock	3XL
GL-815	1-5	Fits all Glock (except 42,43, 48 variants)	3XL
GL-193	1-5	Fits all Glock	3XL
GL-524	1-5	Fits all Glock	4XL
GL-507	1-5	Fits all Glock	5XL
GL-482	1-5	Fits all Glock	5XL
GL-682	1-5	Fits all Glock	5XL
GL-812	1-5	Fits all Glock	5XL
GL-526	1-5	Fits all Glock	6XL
GL-527	1-5	Fits all Glock	7XL
GL-528	1-5	Fits all Glock	8XL
GL-808	1-5	Fits all Glock	9XL

Style	Front	Front Height	Rear Outline	Rear Height
3-Dot Tritium	White	.315"	White	.394"
3-Dot Tritium	Orange	.315"	White	.394"
3-Dot Tritium	LumiGreen	.315"	White	.394"
3-Dot Tritium	White	.315"	Black	.394"
3-Dot Tritium	LumiGreen	.315"	Black	.394"
3-Dot Tritium	Orange	.315"	Black	.394"
3-Dot Tritium	Black	.315"	Black	.394"
Black Front and Rear	Serrated Metal	.315"	N/A	.394"
Tritium Front/Black Rear	White	.315"	N/A	.394"
Tritium Front/Black Rear	Orange	.315"	N/A	.394"
Tritium Front/Black Rear	LumiGreen	.315"	N/A	.394"
Tritium Front/Black Rear	Black	.315"	N/A	.394"
i-Dot Tritium	White	.315"	None	.394"
i-Dot Tritium	Orange	.315"	None	.394"
i-Dot Tritium	LumiGreen	.315"	None	.394"
3-Dot Tritium	White	.350"	White	.429"
Black Front and Rear	Metal	.350"	N/A	.429"
Tritium Front/Black Rear	White	.350"	N/A	.429"
Tritium Front/Black Rear	LumiGreen	.350"	N/A	.429"
Tritium Front/Black Rear	Black	.350"	N/A	.429"
3-Dot Tritium	Black	.350"	Black	.429"
3-Dot Tritium	White	.365"	White	.451"
Black Front and Rear	Serrated Metal	.365"	N/A	.451"
Tritium Front/Black Rear	White	.365"	Flat Metal	.451"
Tritium Front/Black Rear	LumiGreen	.365"	Flat Metal	.451"
Tritium Front/Black Rear	Black	.365"	Flat Metal	.451"
3-Dot Tritium	Black	.365"	Black	.451"
i-Dot Tritium	White	.365"	None	.451"
Black Front and Rear	Serrated Metal	.385"	N/A	.480"
Black Front and Rear	Serrated Metal	.407"	N/A	.507"
Tritium Front/Black Rear	White	.407"	N/A	.507"
Tritium Front/Black Rear	LumiGreen	.407"	N/A	.507"
Tritium Front/Black Rear	Black	.407"	N/A	.507"
Black Front and Rear	Serrated Metal	.434"	N/A	.531"
Black Front and Rear	Serrated Metal	.450"	N/A	.554"
Black Front and Rear	Serrated Metal	.480"	N/A	.578"
Black Front and Rear	Serrated Metal	.500"	N/A	.600"

# TRITIUM FRONTS

## GLOCK

Item	Model	Height
GL-112	All	.165"
GL-112T	All	.165"
GL-112-150	All	.150"
GL-112-180	All	.180"
GL-112-200	All	.200"
GL-112-200-125	All	.200"
GL-112-220	All	.220"
GL-112-240	All	.240"
GL-112-280	All	.280"
GL-112-300	All	.300"
GL-112-315	All	.315"
GL-112-350	All	.350"
GL-112-358	All	.358"
GL-112-365	All	.365"
GL-112-385	All	.385"
GL-112-389	All	.389"
GL-112-407	All	.407"
GL-212-GR-C	All	.165"
GL-212-OR-C	All	.165"
GL-212T-GRC	All	.165"
GL-212T-ORC	All	.165"
GL-212-GR-Q	All	.165"
GL-212-OR-Q	All	.165"
GL-212-165-125-Q	All	.165"
GL-212-385-GR-C	All	.385"
GL-212T-ORQ	All	.165"
GL-312-165	All	.165"
GL-212-180-OR-C	All	.180"
GL-212-180-GR-C	All	.180"
GL-212T-180-ORC	All	.180"
GL-212T-180-GRC	All	.180"
GL-212-180-GR-Q	All	.180"
GL-212-180-OR-Q	All	.180"
GL-312-185	All	.185"
GL-212T-190-ORC	All	.190"
GL-212T-190-GRC	All	.190"
GL-212-200-OR-C	All	.200"
GL-212-200-GR-C	All	.200"
GL-212T-200-ORC	All	.200"
GL-212T-200-GRC	All	.200"
GL-212-220-OR-C	All	.220"
GL-212-220-GR-C	All	.220"
GL-212T-220-ORC	All	.220"
GL-212T-220-GRC	All	.220"
GLV-220-125G	All	.220"
GL-212-240-OR-C	All	.240"

Width	Outline
.140"	White
.125"	White
.125"	White
.140"	White
.140"	White
.125"	White
.140"	White
.140"	White
.125"	White
.125"	White
.125"	White
.125"	White
.125"	White
.125"	White
.125"	White
.125"	White
.140"	LumiGreen
.140"	Orange
.125"	LumiGreen
.125"	Orange
.140"	LumiGreen Square
.140"	Orange Square
.125"	LumiGreen Square
.125"	LumiGreen
.125"	Orange Square
.118"	N/A
.140"	Orange
.140"	LumiGreen
.125"	Orange
.125"	LumiGreen
.140"	LumiGreen Square
.140"	Orange Square
.118"	N/A
.125"	Orange
.125"	LumiGreen
.140"	Orange
.140"	LumiGreen
.125"	Orange
.125"	LumiGreen
.140"	Orange
.140"	LumiGreen
.125"	Orange
.125"	LumiGreen
.140"	Orange
.125"	LumiGreen
.125"	LumiGreen
.140"	Orange

# TRITIUM FRONTS

## GLOCK CONTINUED

Item	Model	Height
GL-212-240-GR-C	All	.240"
GL-212T-280-ORC	All	.280"
GL-212T-280-GRC	All	.280"
GL-212-315-GR-C	All	.315"
GL-212-315-OR-C	All	.315"
GL-412-315	All	.315"
GL-212-350-G	All	.350"
GL-212-350-OR	All	.350"
GL-412-350	All	.350"
GL-412-358	All	.358"
GL-212T-365-ORC	All	.365"
GL-212T-365-GRC	All	.365"
GL-412-365	All	.365"
GL-412-385	All	.385"
GL-412-389	All	.389"
GL-212-407-G	All	.407"
GL-212-407-O	All	.407"
GL-412-407	All	.407"

Width	Outline
.140"	LumiGreen
.125"	Orange
.125"	LumiGreen
.125"	LumiGreen
.125"	Orange
.125"	Black
.125"	LumiGreen
.125"	Orange
.125"	Black
.125"	Black
.125"	Orange
.125"	LumiGreen
.125"	Black
.125"	Black
.125"	Black
.125"	LumiGreen
.125"	Orange
.125"	Black

## SPRINGFIELD / SIG

Item	Model	Height
SA-112-220	Hellcat Standard	.220"
SA-212-220-OR	Hellcat Standard	.220"
SA-212-220-GR	Hellcat Standard	.220"
SG-160-6	Most SIG and XD models	.230" (#6)
SG-160-8	Most SIG and XD models	.220" (#8)
SG-160-260	Most SIG and XD models	.260"
SG-160-280	Most SIG and XD models	.280"
SG-160-300	Most SIG and XD models	.300"
SG-160-350	Most SIG and XD models	.350"
SG-160-390	Most SIG and XD models	.390"
SG-212-220-G	Most SIG and XD models	.220" (#8)
SG-212-220-O	Most SIG and XD models	.220" (#8)
SG-212-230-G	Most SIG and XD models	.230" (#6)
SG-212-230-O	Most SIG and XD models	.230" (#6)
SG-212-260-G	Most SIG and XD models	.260"
SG-212-260-O	Most SIG and XD models	.260"
SG-212-280-G	Most SIG and XD models	.280"
SG-212-280-O	Most SIG and XD models	.280"
SG-212-220-GR-Q	Most SIG and XD models	.220" (#8)
SG-212-220-OR-Q	Most SIG and XD models	.220" (#8)

Width	Outline
.140"	White
.140"	Orange
.140"	LumiGreen
.140"	White
.140"	White
.140"	White
.140"	White
.125"	White
.125"	White
.125"	White
.140"	LumiGreen
.140"	Orange
.140"	LumiGreen
.140"	Orange
.140"	LumiGreen
.140"	Orange
.140"	LumiGreen
.140"	Orange
.140"	LumiGreen (square)
.140"	Orange (square)

# TRITIUM FRONTS

## SMITH & WESSON

Item	Model	Height
SW-800-210	All M&P (Except EZ Series)	.210"
SW-800-230	All M&P (Except EZ Series)	.230"
SW-800-250	All M&P (Except EZ Series)	.250"
SW-800-305	All M&P (Except EZ Series)	.305"
SW-800-320	All M&P (Except EZ Series)	.320"
SW-800-420	All M&P (Except EZ Series)	.420"
SW-212-230-G	All M&P (Except EZ Series)	.230"
SW-212-230-O	All M&P (Except EZ Series)	.230"
SW-212-GR-Q	All M&P (Except EZ Series)	.230"
SW-212-OR-Q	All M&P (Except EZ Series)	.230"

Width	Outline
.140"	White
.140"	White
.140"	White
.125"	White
.125"	White
.125"	White
.140"	LumiGreen
.140"	Orange
.140"	LumiGreen (square)
.140"	Orange (square)





# TRITIUM REARS

## GLOCK

Item	Model	Height	Notch Width	Tritium Color
GL-111R	All except 42/43/48 variants.	.240"	.150"	Yellow
GL-5113R	All except 42/43/48 variants.	.240"	.150"	Green
GL-392R	42,43,43X,48	.248"	.160"	Green
GL-430R	42,43,43X,48	.248"	.140"	Green
GL-431R	42,43,43X,48	.248"	.140"	Yellow
GL-113R	All except 42/43/48 variants.	.256"	.150"	Green
GL-115R	All except 42/43/48 variants.	.256"	.150"	Yellow
GL-146R	All except 42/43/48 variants.	.256"	.150"	Green
GL-227-OP-R	All except 42/43/48 variants.	.256"	.180"	Green
GL-227R	All except 42/43/48 variants.	.256"	.180"	Green
GL-895R	42,43,43X,48	.256"	.165"	Green
GL-119R	All except 42/43/48 variants.	.272"	.150"	Green
GL-121R	All except 42/43/48 variants.	.272"	.150"	Yellow
GL-148R	All except 42/43/48 variants.	.272"	.150"	Green
GL-233-OP-R	All except 42/43/48 variants.	.272"	.180"	Green
GL-233R	All except 42/43/48 variants.	.272"	.180"	Green
GL-875R	All except 42/43/48 variants.	.276"	.165"	Green
GL-885R	All except 42/43/48 variants.	.276"	.165"	Green
GL-855R	All except 42/43/48 variants.	.290"	.165"	Green
GL-105R	42,43,43X,48	.295"	.165"	Green
GL-101R	All except 42/43/48 variants.	.315"	.180"	Green
GL-141R	All except 42/43/48 variants.	.394"	.150"	Green
GTR-100	All except 42/43/48 variants.	.394"	.150"	Green
GTR-200	All except 42/43/48 variants.	.394"	.150"	Green
GTR-109	All except 42/43/48 variants.	.429"	.150"	Green
GTR-209	All except 42/43/48 variants.	.429"	.150"	Green
GL-143R	All except 42/43/48 variants.	.451"	.150"	Green
GTR-115	All except 42/43/48 variants.	.451"	.150"	Green
GTR-215	All except 42/43/48 variants.	.451"	.150"	Green

## SPRINGFIELD / SIG

Item	Model	Tritium Color	Outline	Notch Width	Height	Style
SA-119-OP-R	Hellcat OSP	Green	Black	.165"	.300"	Classic
SG-161-165R	Most SIG models	Green	White	.165"	.250" (#8)	Classic
SG-227R	Most SIG models	Green	Black	.165"	.250" (#8)	Classic
SG-101R	Most SIG and XD models, Hellcat (non OSP)	Green	N/A	.165"	.316"	i-DOT
SG-181R	Most SIG and XD models, Hellcat (non OSP)	Green	White	.150"	.423"	Classic
XD-191R	Most SIG and XD models, Hellcat (non OSP)	Green	White	.150"	.270" (#10)	Classic
XD-191-OP-R	Most SIG and XD models, Hellcat (non OSP)	Green	Black	.150"	.270" (#10)	Classic

Outline	Notch Shape	Style	Fits MOS Slide
White	Square	Classic	Yes
White	Square	Classic	Yes
Black	Square	Pro	No
White	Square	Classic	Yes
White	Square	Classic	Yes
White	Square	Classic	Yes
Black	Square	Classic	Yes
Black	Square	Pro	No
White	Square	Pro	No
Black	Square	Classic	Yes
White	Square	Classic	Yes
White	Square	Classic	Yes
Black	Square	Classic	Yes
Black	Square	Pro	No
White	Square	Pro	No
Black	Square	Classic	Yes
Black	U-Notch	Classic	Yes
Black	U-Notch	Classic	Yes
N/A	Square	i-Dot	Yes
N/A	Square	i-Dot	No
N/A	Square	i-Dot	Yes
White	Square	Classic	Yes
Black	Square	Classic	Yes
White	Square	Classic	Yes
Black	Square	Classic	Yes
N/A	Square	i-Dot	Yes
White	Square	Classic	Yes
Black	Square	Classic	Yes

## SMITH & WESSON

Item	Model	Tritium Color	Outline	Notch Width	Style
SW-801R	M&P (excludes .22,.380, Shield, EZ, Pro)	Green	White	.165"	Classic
SW-805R	M&P (excludes .22,.380, Shield, EZ, Pro)	Green	Black	.165"	Classic
SW-101R	M&P (excludes .22,.380, Shield, EZ, Pro)	Green	N/A	.165"	i-DOT
SW-141R	M&P Shield (excludes EZ)	Green	N/A	.165"	i-DOT
SW-470R	M&P Shield (excludes EZ)	Green	White	.165"	Classic
SW-472R	M&P Shield (excludes EZ)	Green	Black	.165"	Classic

# SPECIALTY FRONTS

## GLOCK

Item	Model	Style
GF-165-105G	Fits All Glock models	Fiber
GF-165-105R	Fits All Glock models	Fiber
GF-165-105A	Fits All Glock models	Fiber
GF-165-115G	Fits All Glock models	Fiber
GF-165-115R	Fits All Glock models	Fiber
GF-165-115A	Fits All Glock models	Fiber
GF-165-130G	Fits All Glock models	Fiber
GF-165-130R	Fits All Glock models	Fiber
GF-165-130A	Fits All Glock models	Fiber
GF-200-125G	Fits All Glock models	Fiber
GF-200-125R	Fits All Glock models	Fiber
GF-200-125A	Fits All Glock models	Fiber
GST-180	Fits All Glock models	Serrated
GST-200	Fits All Glock models	Serrated
GST-215	Fits All Glock models	Serrated
GST-225	Fits All Glock models	Serrated
GST-285	Fits All Glock models	Serrated
GST-315	Fits All Glock models	Serrated
GST-330	Fits All Glock models	Serrated
GST-350	Fits All Glock models	Serrated
GST-360	Fits All Glock models	Serrated
GST-365	Fits All Glock models	Serrated
GST-407	Fits All Glock models	Serrated
GCF-115	Fits All Glock models	Serrated
GCF-180-115	Fits All Glock models	Serrated
GCF-200-115	Fits All Glock models	Serrated
GCF-365-115	Fits All Glock models	Serrated
GCF-385-115	Fits All Glock models	Serrated
GCF-434-115	Fits All Glock models	Serrated
GCF-450-115	Fits All Glock models	Serrated
GCF-475-115	Fits All Glock models	Serrated
GCF-500	Fits All Glock models	Serrated
GP-112-300	Fits All Glock models	Flat Black
GL-136	Fits All Glock models	Serrated
GL-137	Fits All Glock models	Serrated
GL-138	Fits All Glock models	Serrated
GG-112-315G	Fits All Glock models	LumiGreen Dot
GW-116	Fits All Glock models	White Dot
GW-116-180	Fits All Glock models	White Dot
GW-116-250	Fits All Glock models	White Dot

Color	Height	Blade Width
Green	.165"	.105"
Red	.165"	.105"
Amber	.165"	.105"
Green	.165"	.115"
Red	.165"	.115"
Amber	.165"	.115"
Green	.165"	.130"
Red	.165"	.130"
Amber	.165"	.130"
Green	.200"	.125"
Red	.200"	.125"
Amber	.200"	.125"
N/A	.180"	.090"
N/A	.200"	.090"
N/A	.215"	.090"
N/A	.225"	.090"
N/A	.285"	.090"
N/A	.315"	.090"
N/A	.330"	.090"
N/A	.350"	.090"
N/A	.360"	.090"
N/A	.365"	.090"
N/A	0.407"	.090"
N/A	.165"	.115"
N/A	.180"	.115"
N/A	.200"	.115"
N/A	.365"	.115"
N/A	.385"	.115"
N/A	.434"	.115"
N/A	.450"	.115"
N/A	.475"	.115"
N/A	.500"	.115"
N/A	.300"	.125"
N/A	.165"	.125"
N/A	.200"	.125"
N/A	.180"	.125"
Green	.315"	.125"
White	.165"	.125"
White	.180"	.125"
White	.250"	.125"

# SPECIALTY FRONTS

## SPRINGFIELD / SIG

Item	Model	Style	Height	Blade Width
SCF-115	Most SIG and XD models	Serrated	.220"	.115"
SG-220F	Most SIG and XD models	Flat Black	.220"	.125"
SCF-280	Most SIG and XD models, Hellcat	Serrated	.280"	.115"
SG-400F	Most SIG and XD models	Flat Black	.400"	.125"
SCF-420	Most SIG and XD models	Serrated	.420"	.115"

## SMITH & WESSON

Item	Model	Style	Height	Blade Width
SW-810-210	All M&P (Excludes EZ Series)	Serrated	.210"	.115"
SW-810-230	All M&P (Excludes EZ Series)	Serrated	.230"	.115"
SW-810-305	All M&P (Excludes EZ Series)	Serrated	.305"	.115"
SW-810-320	All M&P (Excludes EZ Series)	Serrated	.320"	.115"
SW-830-325	All M&P (Excludes EZ Series)	White Dot	.325"	.130"
SW-830-420	All M&P (Excludes EZ Series)	White Dot	.420"	.130"

SCF-115



SW-810-320



SW-810-320



SW-830-420



# SPECIALTY REARS

## GLOCK

Item	Model	Style	Design
GL-416	42,43,43X,48	Serrated	Classic
GL-422	42,43,43X,48	Flat Black	Classic
GL-418	42,43,43X,48	Serrated	Classic
GL-430BR	42,43,43X,48	Flat Black	Classic
GL-435R	42,43,43X,48	Serrated	Pro
GW-115R	42,43,43X,48	White Dot	Classic
GL-380BR	42,43,43X,48	Flat Black	Classic
GL-400	All except 42/43/48 variants.	Flat Black	Classic
GL-400-110	All except 42/43/48 variants.	Flat Black	Classic
GL-400-130	All except 42/43/48 variants.	Flat Black	Classic
GL-400LL	All except 42/43/48 variants.	Serrated	Classic
GL-405L	All	Serrated	Pro
GL-405P	All	Flat Black	Pro
GL-415	42,43,43X,48	Serrated	Classic
GL-417	All	Serrated	Classic
GL-420	All	Serrated	Classic
GL-427	All	Flat Black	Pro
GTALOR-256	All except 42/43/48 variants.	Flat Black	Pro
GC-6.9R-180	All except 42/43/48 variants.	Flat Black	Classic
GL-401	All except 42/43/48 variants.	Flat Black	Classic
GL-401-110	All except 42/43/48 variants.	Flat Black	Classic
GL-401-130	All except 42/43/48 variants.	Flat Black	Classic
GL-401LL	All except 42/43/48 variants.	Serrated	Classic
GL-406L	All	Serrated	Pro
GL-406P	All	Flat Black	Pro
GL-410	All	Flat Black	Classic
GL-414	All	Serrated	Classic
GL-425	All	Serrated	Classic
GW-118R	20,21,29,30,31,32,36,40,41	White Dot	Classic
GL-412	All	Flat Black	Optic Compatible
GL-419	All	Serrated	Optic Compatible
GL-424	All except 42/43/48 variants.	Serrated	Optic Compatible
GL-408	All	Flat Black	Optic Compatible
GL-404	All	Flat Black	Optic Compatible
GL-420-395	All	Serrated	Optic Compatible
GL-420-415	All	Serrated	Optic Compatible
GL-423	All except 42/43/48 variants.	Flat Black	Optic Compatible
GL-404-436	All	Flat Black	Optic Compatible
GL-420-451	All	Serrated	Optic Compatible
GL-428	All	Flat Black	Optic Compatible
GL-404-480	All	Flat Black	Optic Compatible
GLT-507	All except 42/43/48 variants.	Flat Black	Optic Compatible
GL-404-531	All	Flat Black	Optic Compatible
GL-404-554	All	Flat Black	Optic Compatible
GL-404-578	All	Flat Black	Optic Compatible
GTR-152	All except 42/43/48 variants.	Flat Black	Optic Compatible

Notch Width	Notch Style	Height	Fits MOS
.150"	Square	.240"	Yes
.165"	U-Notch	.240"	Yes
.165"	U-Notch	.248"	Yes
.150"	Square	.248"	Yes
.150"	Square	.248"	No
.150"	Square	.248"	Yes
.150"	Square	.256"	Yes
.150"	Square	.256"	Yes
.110"	Square	.256"	Yes
.130"	Square	.256"	Yes
.150"	Square	.256"	Yes
.180"	Square	.256"	No
.180"	Square	.256"	No
.150"	Square	.256"	Yes
.155"	Square	.256"	Yes
.165"	U-Notch	.256"	Yes
.150"	Square	.256"	No
.165"	Square	.256"	No
.180"	Square	.272"	Yes
.150"	Square	.272"	Yes
.110"	Square	.272"	Yes
.130"	Square	.272"	Yes
.150"	Square	.272"	Yes
.180"	Square	.272"	No
.180"	Square	.272"	No
.165"	Square	.272"	Yes
.155"	Square	.272"	Yes
.160"	U-Notch	.272"	Yes
.150"	Square	.272"	Yes
.150"	Square	.315"	No
.155"	Square	.335"	Yes
.150"	Square	.355"	Yes
.150"	Square	.360"	Yes
.150"	Square	.394"	Yes
.165"	U-Notch	.395"	Yes
.165"	U-Notch	.415"	Yes
.150"	Square	.429"	Yes
.150"	Square	.436"	Yes
.165"	U-Notch	.451"	Yes
.150"	Square	.451"	Yes
.150"	Square	.480"	Yes
.150"	Square	.507"	Yes
.150"	Square	.531"	Yes
.150"	Square	.554"	Yes
.150"	Square	.578"	Yes
.150"	Square	.600"	Yes



# SPECIALTY REARS

## SPRINGFIELD / SIG

Item	Model	Style
SA-418	Hellcat OSP	Flat Black
SG-402R	Most SIG and XD models, Hellcat (non OSP)	Serrated
SG-418	Most SIG and XD models, Hellcat (non OSP)	Flat Black
SG-440R	Most SIG and XD models, Hellcat (non OSP)	Claw
XD-402	Most SIG and XD models, Hellcat (non OSP)	Flat Black
XD-418	Most SIG and XD models, Hellcat (non OSP)	Serrated
XD-450R	Most SIG and XD models, Hellcat (non OSP)	Claw
SG-420BL	Most SIG and XD models, Hellcat (non OSP)	Flat Black
SG-450R	Most SIG and XD models, Hellcat (non OSP)	Flat Black

Notch Width	Height
.165"	.300"
.150"	.250" (#8)
.165"	.250" (#8)
.180"	.270"
.150"	.270" (#10)
.165"	.270" (#10)
.180"	.290"
.165"	.420"
.165"	.450"

## SMITH & WESSON

Item	Model	Style
SW-102PR	M&P (excludes .22,,380, Shield, EZ, Pro)	Flat Black
SW-103R	M&P (excludes .22,,380, Shield, EZ, Pro)	Serrated
SW-435R	M&P Shield (excludes EZ)	Serrated
SW-400	M&P Shield (excludes EZ)	Flat Black

Notch Width	Rear Notch
.165"	Square
.150"	Square
.165"	Square
.150"	Square

SG-418



XD-402



SW-102PR



SW-103R



XD-450R



SW-435R



# WARRANTY INFORMATION

## TRITIUM WARRANTY

AMERIGLO® green and yellow tritium lamps are warranted to glow for twelve (12) years from date of original manufacture.

## HAVEN WARRANTY


The original owner of the AMERIGLO® product is entitled to repair or replacement (at our option) of this registered item if it should fail due to defects in material or workmanship during normal use. This warranty specially applies to the metal structure of the product and does not apply to the illumination system. Optical elements are warranted to be free of defects in material and workmanship during normal use for a period of 5 years from the date of manufacture. Electronics are warranted to be free of defects in material and workmanship during normal use for a period of 3 years from the date of manufacture. If repair is necessary, please contact our Service and Repair Department for return instructions. This warranty does not apply to defects caused by anything which is deemed abnormal, abusive, or improper including any fault resulting from an accident or improper service. Please note that the manufacturer's warranty will be void and the product cannot be serviced if it is exported from the United States in violation of U.S. Export Control Laws and Regulations. Any attempt at disassembly or repair will annul this warranty. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

## CUSTOMER SERVICE

To request more information about our warranties or products, contact customer service.

Phone  
(470) 223-4163

Email  
[support@ameriglo.com](mailto:support@ameriglo.com)





**AMERIGLO**  
THE POWER TO PROTECT™

AMERIGLO.com | 470.223.4163  
© 2022 AMERIGLO HOLDINGS, LLC